

# Aastra IP Telephones



## Aastra 67xi Series

**Enterprise-grade portfolio featuring a global design and expansion module options to increase call and feature capability.**

A family of powerful and flexible SIP-based products offering advanced interoperability with major IP Telephony platforms. All Aastra enterprise-grade 67xi Series IP telephones feature embedded XML browser capability, full-duplex speakerphone, Hi-Q™

wideband audio technology, up to nine call appearance lines, Busy Lamp Field support and extensive storage capacity for directories, callers lists, etc. In addition, all models offer simplified deployment, 4-position footstands and are wall mountable. Most 67xi models support Power Over Ethernet (POE) and AC power options with some models offering attendant functionality through optional Expansion Modules.



### Aastra 6730i

- ✦ Slimmer design
- ✦ Up to 6 lines with call appearances
- ✦ Shared call and bridged lines appearances
- ✦ Multi-proxy support
- ✦ Distinctive ringing, priority alerting
- ✦ 3 line LCD display
- ✦ LED for call and message waiting indicator
- ✦ Personal directory
- ✦ Call forward/Call transfer/Call waiting
- ✦ Caller and calling line information
- ✦ Local 3-way conference
- ✦ Intercom with auto-answer
- ✦ Do Not Disturb
- ✦ Up to 6 call appearance lines with LEDs (2 dedicated keys)
- ✦ 4 navigational keys
- ✦ 8 programmable keys with LEDs
- ✦ 10 pre-defined hard keys
- ✦ Live dial pad or pre-dial support
- ✦ Aastra Hi-Q™ Audio Technology



### Aastra 6731i

- ✦ Slimmer design
- ✦ Up to 6 lines with call appearances
- ✦ Shared call and bridged lines appearances
- ✦ Multi-proxy support
- ✦ Distinctive ringing, priority alerting
- ✦ 3 line LCD display
- ✦ LED for call and message waiting indicator
- ✦ Personal directory
- ✦ Call forward/Call transfer/Call waiting
- ✦ Caller and calling line information
- ✦ Local 3-way conference
- ✦ Intercom with auto-answer
- ✦ Do Not Disturb
- ✦ Up to 6 call appearance lines with LEDs (2 dedicated keys)
- ✦ 4 navigational keys
- ✦ 8 programmable keys with LEDs
- ✦ 10 pre-defined hard keys
- ✦ Live dial pad or pre-dial support
- ✦ Aastra Hi-Q™ Audio Technology



## Aastra 6739i

- ✦ Large 5.7" Full VGA (640x480) Color Touch Screen LCD
- ✦ Integrated Gigabit Ethernet
- ✦ Bluetooth headset support
- ✦ Built-in USB port
- ✦ Intuitive graphical user interface and navigation menus
- ✦ On screen QWERTY keyboard for easy input and editing
- ✦ XML support for productivity enhancing applications
- ✦ Up to 9 lines with call appearances
- ✦ Multi-proxy support
- ✦ Up to 55 programmable softkeys
- ✦ Distinctive ringing, priority alerting
- ✦ Personal directory and Redial list with Picture support
- ✦ Call forward, Call transfer, Call waiting, Call timer
- ✦ Caller and Calling Line information with picture ID
- ✦ Callers list, Missed Call Notification
- ✦ Built-in Local 3-way Conference support
- ✦ Intercom and Paging with autoanswer
- ✦ One-touch call transfer, conference or call park
- ✦ Busy Lamp Field (BLF) support
- ✦ Shared call and bridged line appearances (SCA, BLA)
- ✦ Aastra Hi-Q™ Audio Technology



## Aastra 6753i

- ✦ Up to 9 lines with call appearances
- ✦ Shared call and bridged line appearances
- ✦ Multi-proxy support
- ✦ Distinctive ringing, priority alerting
- ✦ 3 line LCD display
- ✦ LED for call and message waiting indicator
- ✦ Personal directory
- ✦ Call forward/Call transfer/Call waiting
- ✦ Caller and calling line information
- ✦ Local 3-way conference
- ✦ Intercom with auto-answer
- ✦ Do Not Disturb
- ✦ 3 call appearance lines with LEDs
- ✦ 6 navigational keys
- ✦ 6 programmable keys with LEDs
- ✦ 10 predefined hard keys
- ✦ Live dial pad or pre-dial support
- ✦ Supports up to 3 M670i modules
- ✦ Aastra Hi-Q™ Audio Technology



## Aastra 6755i

- ✦ Up to 9 lines with call appearances
- ✦ Shared call and bridged line appearances
- ✦ Multi-proxy support
- ✦ Distinctive ringing, priority alerting
- ✦ 144x75 pixels graphical LCD display
- ✦ LED for call and message waiting indicator
- ✦ Personal directory
- ✦ Call forward/Call transfer/Call waiting
- ✦ Caller and calling line information
- ✦ Callers log
- ✦ Local 3-way conference
- ✦ Intercom with auto-answer
- ✦ Do Not Disturb
- ✦ 4 call appearance lines with LEDs
- ✦ 4 navigational keys
- ✦ 6 customizable softkeys with LEDs; programmable up to 26 functions
- ✦ 6 programmable keys with LEDs
- ✦ 8 predefined hard keys
- ✦ Supports up to 3 M670i or M675i modules
- ✦ Aastra Hi-Q™ Audio Technology



	9143i	9480i	9480i CT	6730i
<b>Telephone Features</b>				
Number of lines	9	9	9	6
Multi-line, multi-proxy registration support	•	•	•	•
Programmable functions (hard keys/softkeys)	7 (7/0)	20 (0/6)	20 (0/6)	8 (8/0)
Pre-programmed feature keys	10	8	8	10
Compatible with M670i expansion module				
Compatible with M675i expansion module				
Full-duplex speakerphone	•	•	•	•
Dedicated headset jack	Modular connector	Modular connector	Modular connector	Headset Mode Support
Display screen size	3 lines x 16 characters	8 lines x 20 characters	8 lines x 20 characters	3 lines x 16 characters
Backlit display	•	•	•	•
Adjustable display contrast	•	•	•	•
Visual message waiting indication	•	•	•	•
Busy lamp field (BLF)	•	•	•	•
Call park/pickup	•	•	•	•
Do not disturb (DND)	•	•	•	•
Call waiting display	•	•	•	•
Call forward	•	•	•	•
Local 3-Way conference	•	•	•	•
Missed call indicator	•	•	•	•
Multicast Group paging	•	•	•	•
Intercom/Auto answer capability	•	•	•	•
Directory Name/Number capacity	200	200	200	200
Callers log Name/Number capacity	200	200	200	200
Last Number Redial Name/Number capacity	100	100	100	100
Priority alert/distinctive ringing	•	•	•	•
Multilingual support	•	•	•	•
Cordless mobility			WDCT 2.4 GHz FH-SS	
<b>Power Options</b>				
Power over Ethernet	•	•	•	•
Optional mid-span PoE injector	•	•	•	•
AC wall adapter (Included)	•	•	•	•
<b>Configuration &amp; Administration</b>				
Telephone User Interface	•	•	•	•
Web User Interface	•	•	•	•
Encryption of configuration file	•	•	•	•
Software & Config. download - TFTP, FTP, HTTP	•	•	•	•
Automatic software update	•	•	•	•
<b>Network Support and Interfaces</b>				
Ethernet ports	Two 10/100 Mbps	Two 10/100 Mbps	Two 10/100 Mbps	One 10/100 Mbps
802.1p/q VLAN tagging & QOS	•	•	•	•
802.1 x support	•	•	•	•
NAT support phone side	•	•	•	•
STUN, TURN	•	•	•	•
Outbound proxy support	•	•	•	•
IETF DHCP	•	•	•	•
IETF SNTP	•	•	•	•
SRTP and TLS security	•	•	•	•
LLDP-MED	•	•	•	•
USB Interface				
<b>Protocol Support</b>				
IETF SIP (RFC3261)	•	•	•	•
XML support	•	•	•	•
<b>Audio and Codec</b>				
Aastra Hi-Q™ Audio Technology				•
HD Hardware				
G.711µ-law/A-law, G.729, G722	•	•	•	•
Voice Quality Metrics, including MOS	•	•	•	•
EHS support for Wireless headsets				
Built-in bluetooth interface				

\* Latest builds



## Aastra 6757i

- ✦ Up to 9 lines with call appearances
- ✦ Shared call and bridged line appearances
- ✦ Multi-proxy support
- ✦ Distinctive ringing, priority alerting
- ✦ 144x128 pixels graphical LCD display LED for call and message waiting indicator
- ✦ Personal directory
- ✦ Call forward/Call transfer/Call waiting
- ✦ Caller and calling line information
- ✦ Callers log
- ✦ Local 3-way conference
- ✦ Intercom with auto-answer
- ✦ Do Not Disturb
- ✦ 4 call appearance lines with LEDs
- ✦ 4 navigational keys
- ✦ 12 customizable softkeys with LEDs; programmable up to 30 functions
- ✦ 8 predefined hard keys
- ✦ Supports up to 3 M670i or M675i modules
- ✦ Aastra Hi-Q™ Audio Technology



## Aastra 6757i CT

- ✦ Up to 9 lines with call appearances
  - ✦ Shared call and bridged line appearances
  - ✦ Multi-proxy support
  - ✦ Distinctive ringing, priority alerting
  - ✦ 144x128 pixels graphical LCD display LED for call and message waiting indicator
  - ✦ Call forward/Call transfer/Call waiting
  - ✦ Caller and calling line information
  - ✦ 8 predefined hard keys
  - ✦ Supports up to 3 M670i or M675i modules
  - ✦ Aastra Hi-Q™ Audio Technology
  - ✦ Nickel Metal Hydride battery – 4 day standby time, 4 hour talktime
  - ✦ One handset included; expandable up to 4 handsets
  - ✦ 2.4 GHz Frequency Hopped Spread Spectrum (FHSS)
  - ✦ Up to 300,000 sq. feet coverage
  - ✦ Vibration alerter
  - ✦ 2.5mm headset connector
  - ✦ Large 5 lines backlit display
  - ✦ LED for call and message waiting indicator
  - ✦ 2 context-sensitive softkeys
  - ✦ 8 predefined hard keys
  - ✦ Programmable function key supports up to 20 functions for tight integration with the 6757i CT base features
- Additional Handset Features:**
- ✦ AC wall adapter for charging stand



## M670i and M675i Expansion Modules

Both modules are directly powered from the phone and can be used with selected 67xi Series models. Up to 3 modules can be joined together with a single telephone. Additional keys support programmable features such as: Line, Speed Dial, Busy Lamp Field (maximum of 50 BLF per phone), Bridged Line Appearance, Shared Call Appearance and Do not Disturb.

### Aastra M670i

- ✦ LED for status indication
- ✦ 36 programmable keys for programmable features

- ✦ Compatible with Aastra 6753i, 6755i, 6757i, 6757i CT and 6739i models

### Aastra M675i

- ✦ LED for status indication
- ✦ 20 softkeys available on 3 screens (60 keys)
- ✦ 144x128 pixels graphical LCD display
  - Soft white backlight for user comfort in any lighting environment
  - Configurable for Always On, Always Off, or Auto (power saving)
- ✦ Compatible with Aastra 6755i, 6757i, 6757i CT and 6739i models



Aastra Hi-Q™



Aastra is a leading global supplier of carrier-grade IP phones designed, developed and manufactured based on open standards to meet the demanding requirements of small/medium business, enterprise and government customers.

Building on a long tradition of combining durable phones with intuitive designs, Aastra's IP phone portfolio offers customers flexibility and choice while delivering the performance, quality and value that business demands.

For additional information on Aastra, visit our website at : [www.aastra.com](http://www.aastra.com)

**Aastra Technologies**

155 Snow Blvd.  
Concord, Ont., L4K 4N9 - Canada  
T 1 905 760 4200  
F 1 905 760 4233  
[www.aastra.com](http://www.aastra.com)

**Aastra**